EPA Registration Number 2596-181 Part 2

DATA EXTRACTION REQUEST

Reg # 2596-181	Decision #
Description: Revised basic CS	F
Material Sent:	
☐ Electronic Label/Letter Date (See PPLS for electronic file	
☐ Stamped Label Dated	(See jacket)
☐ Notification Dated	(See jacket)
New CSF(s) Dated 1-32	-2015 (See jacket)
Other:	
File this coversheet and attached materials in clipped together, NOT STAPLED. Then give the staff in the Information Services Center (IS available as an image, please file materials in For further information please call 703-605-03	e jacket with the coversheet and materials C) (Room S-4900). If a jacket is full or only a new jacket and bring it down to the (ISC).
Reviewer: Rita Kumas	
Division: RD/IRB	
/ Phone: 703-308-829]
Date: 6-22-2015	•

Kumar, Rita

From:

Kumar, Rita

Sent:

Friday, June 12, 2015 4:27 PM

To: Subject: 'DJones@hartz.com'

FW: 2596-181 revised csf

Attachments:

image2015-06-12-162042.pdf

Dear David: Please see attached. This action is now complete.

Regards, Rita



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

June 11, 2015

David Jones Manager Regulatory Affairs The Hartz Mountain Corporation 400 Plaza Drive Secaucus, NJ 07094

Subject:

CSF Amendment - Revised Basic CSF

Product Name: Hartz Ref # 146 EPA Registration Number: 2596-181 Application Date: January 22, 2015

Decision Number: D503215

Dear Mr. Jones:

The Confidential Statement of Formula (CSF) referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

Please note that the record for this product currently contains the following CSFs:

Basic CSF dated 01/22/2015

Any CSFs other than those listed above are superseded/no longer valid. If you have any questions, please contact Rita Kumar by phone at (703) 308-8291 or via email at kumar.rita@epa.gov.

V/VVIII Venus Eagle

Sincerely

Product Manager 01

Invertebrate and Vertebrate Branch 3

Registration Division (7505P)



THE HARTZ MOUNTAIN CORPORATION, 400 PLAZA DRIVE, SECAUCUS, NEW JERSEY 07094 201/271-4800 REGULATORY AFFAIRS

January 22, 2015

Document Processing Desk (AMEND)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

RE: Minor Formulation Amendment; Hartz Reference #146, EPA Reg. No. 2596-181

Dear Sir/Madam,

Please find enclosed an application to amend the subject product formulae. The minor amendments are outlined below

- · Changed suppliers on inert ingredients
- Fixed minor typos on inert ingredients, match inerts database

Included with this application are two copies of each Confidential Statement of Formula signed and dated and EPA Form 8570-1, all signed and dated January 22, 2015

Thank you for your efforts in supporting this action. Any questions or request for additional information would be welcomed.

Sincerely,

Heather Masch

Regulatory Affairs Specialist

Ph. (201) 271-4800, ext. 7036

Please read instructions	on reverse before complet	ing form.		Form Appr	oved,	OMB No. 207	0-0060	Print Form
\$EPA	Environmental	nited States Protection Angton, DC 20460	Agency		×	Registrat Amendm Other	ion	OPP Identifier Number
		Application f	or Pestic	de - Sec	tion	l		
1. Company/Product Nu 2596-181			2. EPA Eagle	Product Man	nager		3. Pr	oposed Classification
4. Company/Product (Na Hartz Reference #14	ame) 6		PM# 1] L	None Restricted
5. Name and Address of Applicant (Include ZIP Code) The Hartz Mountain Corporation 400 Plaza Drive Secaucus, NJ 07094 Check if this is a new address			(b)(i), r to: EPA	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name				
			Section -					
Notification - Exp Explanation: Use add Minor formulation an Notice 95-1 and EPA understand that if thi	response to Agency letter plain below. ditional page(s) if necessar nendment per PR Notice regulations at 40 CFR 15 is notification is not cons	y. (For section I er 98-10. (See Atta 2.46 and that no sistent with the te	ched Explan other chang erms of PR N	Agency let "Me Too" Other - Exp ation) I cert es have bee otice 95-1 a	ter dat Applica plain be tify that en mad nd 40	at this notific de to the labe CFR 152.46, t	ation is eling of the	this product. I further
violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Section - III								
1. Material This Product	t Will Be Packaged In:							
Child-Resistant Packagi Yes* No * Certification mus be submitted	Yes	No. per If	Yes No "Yes" spokage wgt	No. per	or .	2. Type of C	ontainer Metal Plastic Glass Paper Other (S	
3. Location of Net Cont	ents Information	4. Size(s) Retail C	ontainer	1	5. Lo	cation of Labe On Label		ns panying product
	Isoner in Which-Label is Affixed to Product Lithograph Paper glued Stenciled							
Section - IV								
1. Contact Point (Comp	olete items directly below f				if nec	essary, to pro	cess this	spplication.)
Name Heather Masch Title Regulatory Specialist Telephone No. (Include Area Code) 201-271-4800				e No. (Include Area Code)				
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I soknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable lew.			Received					
2. Signature		3. Ti	tle ulatory Spec	ialist				
4. Typed Name		5. D	ate	lic				

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

White - EPA File Copy (original)

Yellow - Applicant Copy

Kumar, Rita

From:

Eagle, Venus

Sent:

Thursday, April 09, 2015 5:18 PM

To:

Kumar, Rita

Subject:

FW: Fw: Checking on status of 2 CSFs, alternates for EPA Reg. No.s 2596-180 and

2596-181

Attachments:

EPA 2596-180 and -181 csf Minor amends 2015 Jan 22.pdf

Hi Rita.

This notification came in on my Birthday (so I know I wasn't here) and apparently the hard copy never made it to my desk! So the registrant kindly submitted the electronic version. I just pulled these down in OPPIN and assigned them to you since it is an imidacloprid action. These appear very easy, so if you would put this to the top of your list to knock out, I would appreciate it. Have a great weekend.

Thanks,

Venus

From: DJones@hartz.com [mailto:DJones@hartz.com]

Sent: Monday, April 06, 2015 3:26 PM

To: Eagle, Venus

Subject: Re: Fw: Checking on status of 2 CSFs, alternates for EPA Reg. No.s 2596-180 and 2596-181

Hi Venus,

Thank you for the call back. First, belated Happy Birthday! 21 at last right?

Please find attached a scan of the original submissions. Both are in the one scan. Any help you can give us on getting approval would be appreciated.

Best regards,

Dave

David Jones Manager Regulatory Affairs The Hartz Mountain Corporation 400 Plaza Drive Secaucus, NJ 07094 TEL: 201-271-4800 x 7414 FAX: 201-271-0357

From:

David L. Jones/ML1

Date:

"Eagle, Venus" <<u>Eagle.Venus@epa.gov</u>>,

04/06/2015 10:52 AM

Subject:

Fw: Checking on status of 2 CSFs, alternates for EPA Reg. No.s 2596-180 and 2596-181

Good morning,

I was follow up to see if I can get the status on this filing please?

Thank you for the help,

Dave

David Jones
Manager Regulatory Affairs
The Hartz Mountain Corporation
400 Plaza Drive
Secaucus, NJ 07094

TEL: 201-271-4800 x 7414

FAX: 201-271-0357

---- Forwarded by David L. Jones/ML1 on 04/06/2015 10:51 AM ----

From: "Davis, Kable" <<u>Davis.Kable@epa.gov</u>>
To: "<u>DJones@hartz.com</u>" <<u>DJones@hartz.com</u>>,
Cc: "Eagle, Venus" <<u>Eagle.Venus@epa.gov</u>>

Date: 03/20/2015 10:31 AM

Subject: RE: Checking on status of 2 CSFs, alternates for EPA Reg. No.s 2596-180 and 2596-181

Hi Dave -

Thanks for the email and question. I can't believe it is the first day of spring and it's snowing!

I'm copying Venus Eagle on this email, since both products are on her team. I checked our system and it looks like both actions were received by the Agency on January 26, 2015. Venus should be able to provide more of an update.

Have a fun/relaxing weekend! Bo

Kable Bo Davis
Product Manager 3
Invertebrate & Vertebrate Branch 1
(703) 306-0415
davis.kable@epa.gov

From: DJones@hartz.com [mailto:DJones@hartz.com]

Sent: Friday, March 20, 2015 8:43 AM

To: Davis, Kable

Subject: Checking on status of 2 CSFs, alternates for EPA Reg. No.s 2596-180 and 2596-181

Good morning,

Getting ready for Spring to start with 2 to 5 inches of snow to shovel this afternoon at my house! I must have missed something in school about Spring?

I know Autumn M. is out on vacation or close to leaving so I did not want to bother her with this and sorry to trouble you, but could you forward this to someone that can let me know if these CSF notifications have been cleared? It is only a change of source on one inert, two nonfood topical flea and tick products for pets. It was mailed January 22, 2015. My staff member that submitted it is no longer here and I do not have access to her prior e-mail history.

Again apologize for the question, but they want to order the material for a trial batch. Any information we could get soon would be appreciated.

Thank you and have a great weekend.

Dave

Not Responsive

PROCESSING REQUEST

Reg #	2596-181	Decision # 500 40 /
Descript	tion:	
Materi	al Available	Electronically (see PPLS):
Electro	onic Label/Letter	: Dated
Other	:	
Materi	al Sent (see ja	cket):
☐ Stamp	oed Label/Letter	Dated
☑ Notifi	cation Dated	3/3/2015
☐ New (CSF(s) Dated	
Other	:	
and clipped materials to jacket is full	together, NOT STA staff in the Inform or only available a	ed materials in the jacket. It must be well organized PLED. Then give the jacket with the coversheet and ation Services Center (ISC) (Room S-4900). If a s an image, please file materials in a new jacket and further information please call 703-605-0716.
Reviewer	: Melody Bo	an ks
	IVB3	
Phone:	3055412	Date: 3/19/2015



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 3, 2015

Ms. Heather Masch Regulatory Affairs Specialist The Hartz Mountain Corporation 400 Plaza Drive Secaucus, NJ 07094-3688

Subject:

Label Notification per PRN 98-10 – Alternate Brand Names

Product Name: Hartz Ref #146

EPA Registration Number: 2596-181 Application Date: November 5, 2014

Decision Number: 500401

Dear Ms. Masch:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.


The label submitted with the application has been stamped "Notification" and will be placed in our records. The alternate brand names: Hartz® AdvancedTM for Cats, Hartz® AdvancedTM for Kittens, Hartz® AdvancedTM for Cats and Kittens, Hartz® AdvancedTM Flea Treatment for Cats, Hartz® AdvancedTM Flea Treatment for Cats and Kittens, Hartz® AdvancedTM Flea Treatment for Kittens, AdvancedTM Flea Treatment for Cats, AdvancedTM Flea Treatment for Cats and Kittens, AdvancedTM Flea Treatment for Kittens has been added to the product record.

If you have any questions, you may contact Melody Banks at 703 305 5413 or via email at Banks.Melody@epa.gov.

Sincerety

Venus Eagle, Product Manager 1 Invertebrate and Vertebrate Branch 3

Registration Division (7505P) Office of Pesticide Programs



1 Wilde



400 PLAZA DRIVE, SECAUCUS, NEW JERSEY 07094-3688. 201/271-4800

November 5, 2014

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention:

Mr. Richard Gebken (PM # 10)

RE: Hartz Ref #146 EPA Reg. No. 2596-181

Addition of brand names per PR Notice 98-10

Dear Mr. Gebken:

The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094-3688 is filing this notification to add new additional brand names for the product **Hartz Ref #146, EPA Reg. No. 2596-181.**

The Hartz Mountain Corporation is submitting the following information:

- A completed application (EPA Form 8570-1) and;
- The copies of the proposed notification label.

"This notice is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR §152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

If you have any questions or need additional information, please feel free to contact me at (201) 271-4800 €xt. 7036 or hmasch@hartz.com.

Sincerely,

Heather Masch

Regulatory Affairs Specialist

ase read instructions on r	everse before comple	ting form.		Form A	Approved	. OMB No.	2070-0086	O. Approval expires 2-28-95
\$EPA	United States				✓	Registra Amenda Other	ation	OPP Identifier Number
		Application	on for Pes	ticide - Se	ction	Ī		
1. Company/Product Numbe 2596-181			2.1	EPA Product M Gebken		-	3. Pr	roposed Classification
4. Company/Product (Name) HARTZ Ref #146				PM# 10			None Restricted	
5. Name and Address of App The Hartz Mountain (ode)	(b)	(i), my produc				FIFRA Section 3(c)(3)
400 Plaza Drive Secaucus, NJ 07094-			EF	to: EPA Reg. NoMAR - 3 2014				
Check if this	s is a new address		Pr	oduct Name	e			
			Section) - [[
Amendment - Explain Resubmission in resp Notification - Explain	onse to Agency letter	dated		Agency i	nted label letter date " Applica xplain be	ation.	e to	
"Addition of alternate brand n "This notice is consistent with labeling or the Confidential S to EPA. I further understand t	Explanation: Use additional page(s) if necessary. (For section I and Section II.) "Addition of alternate brand names per PR Notice 98-10" "This notice is consistent with the provisions of PR Notices 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."							
			Section	- 111				
1. Material This Product Will	Be Packaged In:							
Child-Resistant Packaging Yes No * Certification must	Unit Packaging Yes No If "Yes"	No. per	Yes No	ole Packaging No. pe	or .	2. Type of	Metal Plastic Glass Paper	
be submitted	Unit Packaging wgt.	container	Package wg	gt contair	ner		Other (S	pecify)
3. Location of Net Contents I Label C 6. Manner in Which Label is	Container		Oti	5. Loc	L cation of Lab	el Directio	ns	
		Paper Stenci	glued iled					
			Section	- IV				
1. Contact Point (Complete	items directly below f	or identificatio	n of individual	to be contacte	d, if nece	ssary, to pr	ocess this	application.l
Name Title Heather Masch Regulatory				Telephone No. (Include Area Code 201-271-4800, eyt. 7036				
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowling by false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Persivat (Stamped)								
2. Signature		:	3. Title Regulatory	Affairs Speci	ialist			
4. Typed Name Heather Masch		!	5. Date	15/14				

Version: Nov 4, 2014

[FRONT PANEL] Hartz[®] Reference # 146

Alternate Brand Names

NOTIFICATION

Hartz® AdvancedTM for Cats

MAR - 3 2014

Hartz[®] AdvancedTM for Kittens

Hartz[®] AdvancedTM for Cats and Kittens

Hartz® AdvancedTM Flea Treatment for Cats

Hartz® Advanced™ Flea Treatment for Cats and Kittens

Hartz® Advanced™ Flea Treatment for Kittens

AdvancedTM Flea Treatment for Cats

Advanced™ Flea Treatment for Cats and Kittens

Advanced™ Flea Treatment for Kittens

Hartz First Defense Max for Cats [& or Kittens]

Hartz First Defense Advanced PLUS for Cats [& or Kittens]

Hartz First Defense Advanced PRO for Cats [& or Kittens]

Hartz First Defense Evolution for Cats [& or Kittens]

Hartz First Defense Guardian for Cats [& or Kittens]

Hartz Generic Topical Treatment for Cats [& or Kittens]

Hartz Generic Flea Topical for Cats [& or Kittens]

Hartz Generic for Cats [& or Kittens]

Hartz First Defense ADVANCED for Cats [& or Kittens]

Hartz ADVANCE PRO Flea Treatment for Cats [& or Kittens]

Hartz UltraGuard Sentinel for Cats [& or Kittens]

Hartz UltraGuard Sentinel MAX for Cats [& or Kittens]

Hartz UltraGuard Sentinel PLUS for Cats [& or Kittens]

Hartz UltraGuard Sentinel PRO for Cats [& or Kittens]

Hartz UltraGuard Defender for Cats [& or Kittens]

Hartz UltraShield for Cats [& or Kittens]

Hartz ImidaShield II for Cats [& or Kittens]

Hartz ImidaShield II MAX for Cats [& or Kittens]

Hartz ImidaShield II PLUS for Cats [& or Kittens]

Hartz ImidaShield II PRO for Cats [& or Kittens]

Hartz ImidaShield for Cats [& or Kittens]

Hartz ImidaShield MAX for Cats [& or Kittens]

Hartz ImidaShield PLUS for Cats [& or Kittens]

Hartz ImidaShield PRO for Cats [& or Kittens]

Hartz ImidaGuard II for Cats [& or Kittens]

Hartz ImidaGuard II MAX for Cats [& or Kittens]

Hartz ImidaGuard II PLUS for Cats [& or Kittens]

Hartz ImidaGuard II PRO for Cats [& or Kittens]

Hartz ImidaGuard for Cats [& or Kittens]

Hartz ImidaGuard MAX for Cats [& or Kittens]

Hartz ImidaGuard PLUS for Cats [& or Kittens]

Hartz ImidaGuard PRO for Cats [& or Kittens]

Hartz ProCare for Cats [& or Kittens]

Hartz FirstCare for Cats [& or Kittens]

[Each of the above brands will be packaged in the weight classes designated below:]

For use ONLY on Cats 8 weeks and Older and Weighing 2 to 5 lbs.

or Weighing 5 to 9 lbs.

or Weighing Over 9 lbs.

[FRONT PANEL (cont.)]

ACTIVE INGREDIENTS:

Imidacloprid	9.10%
Pyriproxyfen	0.46%
Other Ingredients.	90.44%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for precautionary statements and directions for use.

NET CONTENTS:

[Large clear picture of a cat in appropriate weight range on front panel to be included]

For use ONLY on Cats 8 weeks and	Net Contents
Older and Weighing:	
2 to 5 lbs.	0.031 fl. oz. (0.92 ml),
	Contains 4 tubes, each 0.0078 fl. oz. (0.23 ml)
5 to 9 lbs.	0.056 fl. oz. (1.6 ml),
	Contains 4 tubes, each 0.014 fl. oz. (0.4 ml)
over 9 lbs.	0.108 fl. oz. (3.2 ml),
	Contains 4 tubes, each 0.027 fl. oz. (0.8 ml)

For use ONLY on Cats 8 weeks and Older and Weighing:	·
2 to 5 lbs.	0.046 fl. oz. (1.38 ml),
	Contains 6 tubes, each 0.0078 fl. oz. (0.23 ml)
5 to 9 lbs.	0.084 fl. oz. (2.4 ml),
	Contains 6 tubes, each 0.014 fl. oz. (0.4 ml)
over 9 lbs.	0.162 fl. oz. (4.8 ml),

Version: Nov 4, 2014

Contains 6 tubes, each 0.027 fl. oz. (0.8 ml)

[BACK PANEL]

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies or consumer questions call 1-800-275-1414.

Version: Nov 4, 2014

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment or advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not apply to cats or kittens under 8 weeks of age or weighing less than [2 lbs.; 5 lbs.; 9 lbs.] As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing cats. Individual sensitivities, while rare, may occur after using ANY pesticide product for cats. If signs persist, or become more severe, consult a veterinarian immediately. If your cat is on medication, consult your veterinarian before using this or any other product.

Version: Nov 4, 2014

[BACK PANEL (cont.)]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

READ ENTIRE LABEL BEFORE EACH USE

RESTRICTIONS

USE ONLY ON CATS OR KITTENS 8 WEEKS AND OLDER WEIGHING [2 to 5 lbs.; 5 to 9 lbs.; Over 9 lbs.]

DO NOT USE ON OTHER ANIMALS

DO NOT EXCEED LABELED DOSAGE AMOUNT FOR CATS

DO NOT APPLY MORE THAN ONE (1) TUBE PER TREATMENT ON ANY CAT DO NOT HAVE CONTACT OR ALLOW CHILDREN TO HAVE CONTACT WITH TREATED AREA UNTIL COMPLETELY DRY.

DO NOT USE ON CATS WEIGHING LESS THAN 2 LBS. [this line only required on product labeled for use on cats weighing 2 to 5 lbs.]

Side Effects (Cats): Monitor your cat after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as hypersalivation, vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call, 1-800-275-1414.

[BACK PANEL (cont.)] [DIRECTIONS FOR USE (cont.)]

[APPLICATION INSTRUCTIONS:]

[Visuals Depicting How to Open Applicator Tube And Application To Animal]

[OPTION 1:]

HOW TO APPLY

1. Remove one applicator tube from the package.

- 2. Hold applicator tube in an upright position facing away from you and your pet's face and eyes. Pull cap off tube.
- 3. Turn the cap around and place other end of cap back on tube.
- 4. Twist cap to break seal, then remove cap from tube.
- 5. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin. Do not get this product in your pet's eyes, or allow your pet to ingest this product. The product is bitter tasting and salivation may occur for a short time if the pet licks the product immediately after treatment. Treatment at the base of the skull will minimize the opportunity for the cat to lick the product. Do not allow the product to run off.
- 6. Discard empty tube as described in the Storage and Disposal section.
- 7. Under normal conditions this product is effective for a month. However, in case of severe flea infestation, retreatment may be necessary earlier than four (4) weeks. On cats, do not retreat more often than once every seven (7) days. After flea control is attained, return to a monthly treatment schedule.

[OPTION 2:]

HOW TO APPLY

- 1. Remove one applicator tube from the package.
- 2. Hold applicator tube in an upright position facing away from you and your pet's face and eyes.
- 3. Twist dispensing tip clockwise about ½ turn while pushing down to break the tube's seal. Do not remove the dispensing tip.
- 4. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin. Do not get this product in your pet's eyes, or allow your pet to ingest this product. The product is bitter tasting and salivation may occur for a short time if the pet licks the product immediately after treatment. Treatment at the base of the skull will minimize the opportunity for the cat to lick the product. Do not allow the product to run off.
- 5. Discard empty tube as described in the Storage and Disposal section.
- 6. Under normal conditions this product is effective for a month. However, in case of severe flea infestation, retreatment may be necessary earlier than four (4) weeks. On cats, do not retreat more often than once every seven (7) days. After flea control is attained, return to a monthly treatment schedule.

Version: Nov 4, 2014

[BACK PANEL (cont.)]

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Non-refillable container. **If empty:** Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-274-1414 for disposal instructions. Never place unused product down any indoor or outdoor drain.

For more information call our (flea) experts at 1-800-275-1414 (weekdays, 9 am - 5 pm E.S.T.)

EPA Reg. No. 2596-EPA Est. No. 2596-OH-1

Hartz[®] and other trademarks are trademarks of The Hartz Mountain Corporation. Made by The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094 (U.S.A.)

Version: Nov 4, 2014

[INSTRUCTIONS FOR BLISTER PACK]

HOW TO OPEN



[OPTION 1:]

- 1. Being careful not to cut close to the blister cavities, take scissors and cut along dotted line.
- 2. Peel off the [foil] [paper] from the individual blister cavity, and take out the tube.
- 3. Follow application instructions.
- 4. Repeat steps 1 and 2 for each tube.

[OPTION 2:]

- 1. Separate [foil] [paper] from corner of blister package.
- 2. Peel back [foil] [paper] and take out the tube.

INDIVIDUAL TUBE TEXT

(Product name)

[The appropriate size and fill volume will be correctly used on each applicable cat's weight category]

ONLY FOR USE ON CATS AND KITTENS 8 WEEKS OR OLDER WEIGHING 2 to 5 lbs. - 0.0078 fl. oz. (0.23 ml)

or 5 to 9 lbs. - 0.014 fl. oz. (0.4 ml)

or 9 lbs. and Over - 0.027 fl. oz. (0.8 ml)

9.10% Imidacloprid

0.46% Pyriproxyfen

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read The Entire Label Before Use

EPA Reg. No. 2596-

EPA Est. No. 2596-OH-1

(Lot no. is heat stamped in tube crimp - required on each)

OPTIONAL/ALTERNATE LABEL TEXT

For use on cats and kittens 8 weeks of age and older

(Insert Product Name) contains Imidacloprid, [and an/the] [insect growth regulator] [IGR] [Pyriproxyfen]

Version: Nov 4, 2014

A single topical application remains effective for up to [4 weeks] [1 month]

Convenient, easy-to-apply topical solution

Convenient, easy-to-apply [and fragrance free] [monthly] [topical solution]

Once a month topical flea prevention and treatment for cats 8 weeks of age or

older

(Insert Product Name) is indicated for the prevention and treatment of fleas on cats 8 weeks of age and older

For the prevention and treatment of flea infestations on cats

One treatment prevents further flea infestations for up to [4 weeks] [1 month] [30 days]

Kills fleas and continues to prevent infestations for up to [four weeks] [a month] [30 days]

Kills larval stages of fleas following contact with [a/an] [Product Name] treated cat

Stops existing flea infestations by killing adult fleas

Effectively breaks the flea life cycle

[Kills] [Controls] life stages

Comprehensive flea prevention and treatment

2-way flea protection ([kills] [controls]) adults and eggs

Treatment of cats with [Product Name] kills fleas and that may cause flea allergy dermatitis

[FAD] [or flea bite hypersensitivity]

Flea adulticide and ovicide

Kills flea eggs

Controls flea problems

Provides flea protection

Controls existing fleas and flea eggs plus [and] [prevents] future flea infestations

[Brand Name] may be used year-round for flea [prevention] [protection]

Contains an insect growth regulator (IGR) to kill flea eggs and prevent reinfestation

Monthly use of [Product Name] on cats kills fleas that may cause ([flea allergy dermatitis] [flea bite hypersensitivity])

Controls existing flea infestations on your cat and prevents further infestations

Prevents fleas on treated cats from infesting (reinfesting)

Fragrance-free

Prevents (establishment of) new infestations after application

Prevents all flea stages (eggs) from developing

Kills fleas (and flea eggs) [for] [4 weeks] [1 month] [30 days]

Stays on and doesn't rub off for 1 month

Kills fleas for 30 days (1 month) (4 weeks)

Stops and prevents infestations

Prevents re-infestation (reinfestation)

Effective and convenient topical treatment

(With) patented applicator

Version: Nov 4, 2014

Easy spot on topical applicator

Remains effective even after bathing or water immersion.

(Product Name) remains effective even after bathing or water immersion.

Contains Imidacloprid and Pyriproxyfen, the active ingredients used in Bayer Advantage® II (or Advantage® II)

Contains the (same) active ingredients used in Bayer Advantage® II (or Advantage® II) (products)

Contains Imidacloprid and Pyriproxyfen, the active ingredients used in Bayer Advantage® II (or Advantage® II) (brand products)

[Product Name] is not manufactured by or distributed by Bayer. Advantage® II is a registered trademark of Bayer Healthcare LLC.

Only for cats and kittens 8 weeks of age or older For cats and kittens 8 weeks of age or older

NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT

1st dose, 2nd dose, 3rd dose, 4th dose, 5th dose, 6th dose

First month, second month, third month, fourth month, fifth month, sixth month Value pack

[1] [2] [3] [4] [5] [6] month supply

[4 or 6] monthly treatment(s)

Apply monthly (every 30 days)

Convenient (easy to use) applicator

(4 or 6) Pro-cision Flo® Applicator(s) (included)

(4 or 6) Pro-glide® Applicator(s) (included)

(Pro-cision Flo®Applicator)

(Pro-Glide[®]Applicator)

Featuring [Pro-cision Flo®] [Pro-Glide®] Applicator (for easy application)

Direct to your cat's skin

Easy (simple) to use (handle) (apply)

Made in the U.S.A

Convenient to use

After application, the treated area may appear wet for up to 24 hours

To help remind you when you last applied treatment, simply write in the date when each dose is applied:

First Dose	
Second Dose	
Third Dose	
Fourth Dose	
Fifth Dose	
Sixth Dose	

Material Sent for Data Extraction

Reg. # _ 2596-181
Description:
Material(s) Sent to Data Extraction Contractors:
New Stamped Label Dated
Notification Dated
New CSF(s) Dated
Other:
Decision #: 498025
Other Action/Comments:
File this coversheet and attached materials in the jacket. It must be well organized and clipped together, NOT STAPLED. Then give the jacket with the coversheet and materials to staff in the Information Services Center (ISC) (Room S-4900). If a jacket is full or only available as an image, please file materials in a new jacket and bring it down to the (ISC). For further information please call 703-605-0716.
Reviewer: Melody Banks
Phone: 3056413 Division: TVB3
Date: 2/11/2015

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

December 11, 2014

Ms. Heather Masch The Hartz Mountain Corporation 400 Plaza Drive Secaucus, NJ 07094-3688

Subject:

Label Notification per PRN 98-10 – Nine Alternate Brand Names

Product Name: HARTZ Ref#146 EPA Registration Number: 2596-181 Application Date: November 10, 2014

Decision Number: 498025

Dear Ms. Masch:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The alternate brand names: Hartz® AdvancedTM for Cats, Hartz® AdvancedTM for Kittens, Hartz® AdvancedTM for Cats and Kittens, Hartz® AdvancedTM Flea Treatment for Cats, Hartz® AdvancedTM Flea Treatment for Cats and Kittens, Hartz® AdvancedTM Flea Treatment for Kittens, AdvancedTM Flea Treatment for Cats, AdvancedTM Flea Treatment for Cats and Kittens, and AdvancedTM Flea Treatment for Kittens has been added to the product records

If you have any questions, you may contact Melody Banks at 703 305 5413 or via email at banks.melody@epa.gov.

Sincerely

Venus Eagle, Product Manager 1 Invertebrate and Vertebrate Branch 3 Registration Division (7505P)

[FRONT PANEL] Hartz[®] Reference # 146

Alternate Brand Names

Hartz® AdvancedTM for Cats

Hartz[®] AdvancedTM for Kittens

Hartz® AdvancedTM for Cats and Kittens

Hartz® Advanced™ Flea Treatment for Cats

Hartz® Advanced™ Flea Treatment for Cats and Kittens

Hartz® AdvancedTM Flea Treatment for Kittens

AdvancedTM Flea Treatment for Cats

AdvancedTM Flea/Treatment for Cats and Kittens

AdvancedTM Flea Treatment for Kittens

Hartz First Defense Max for Cats [& or Kittens]

Hartz First Defense Advanced PLUS for Cats [& or Kittens]

Hartz First Defense Advanced PRO for Cats [& or Kittens]

Hartz First Defense Evolution for Cats [& or Kittens]

Hartz First Defense Guardian for Cats [& or Kittens]

Hartz Generic Topical Treatment for Cats [& or Kittens]

Hartz Generic Flea Topical for Cats [& or Kittens]

Hartz Generic for Cats [& or Kittens]

Hartz First Defense ADVANCED for Cats [& or Kittens]

Hartz ADVANCE PRO Flea Treatment for Cats [& or Kittens]

Hartz UltraGuard Sentinel for Cats [& or Kittens]

Hartz UltraGuard Sentinel MAX for Cats [& or Kittens]

Hartz UltraGuard Sentinel PLUS for Cats [& or Kittens]

Hartz UltraGuard Sentinel PRO for Cats [& or Kittens]

Hartz UltraGuard Defender for Cats [& or Kittens]

Hartz UltraShield for Cats [& or Kittens]

Hartz ImidaShield II for Cats [& or Kittens]

Hartz ImidaShield II MAX for Cats [& or Kittens]

Hartz ImidaShield II PLUS for Cats [& or Kittens]

Hartz ImidaShield II PRO for Cats [& or Kittens]

Hartz ImidaShield for Cats [& or Kittens]

Hartz ImidaShield MAX for Cats [& or Kittens]

Hartz ImidaShield PLUS for Cats [& or Kittens]

Hartz ImidaShield PRO for Cats [& or Kittens]

Hartz ImidaGuard II for Cats [& or Kittens]

Hartz ImidaGuard II MAX for Cats [& or Kittens]

Hartz ImidaGuard II PLUS for Cats [& or Kittens]

Hartz ImidaGuard II PRO for Cats [& or Kittens]

Hartz ImidaGuard for Cats [& or Kittens]

Hartz ImidaGuard MAX for Cats [& or Kittens]

Hartz ImidaGuard PLUS for Cats [& or Kittens]

Hartz ImidaGuard PRO for Cats [& or Kittens]

Hartz ProCare for Cats [& or Kittens]

Hartz FirstCare for Cats [& or Kittens]

[Each of the above brands will be packaged in the weight classes designated below:]

For use ONLY on Cats 8 weeks and Older and Weighing 2 to 5 lbs.

or Weighing 5 to 9 lbs.

or Weighing Over 9 lbs.

[FRONT PANEL (cont.)]

ACTIVE INGREDIENTS:

Imidacloprid	9.10%
Pyriproxyfen	0.46%
Other Ingredients.	90.44%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for precautionary statements and directions for use.

NET CONTENTS:

[Large clear picture of a cat in appropriate weight range on front panel to be included]

For use ONLY on Cats 8 weeks and	Net Contents
Older and Weighing:	
2 to 5 lbs.	0.031 fl. oz. (0.92 ml),
	Contains 4 tubes, each 0.0078 fl. oz. (0.23 ml)
5 to 9 lbs.	0.056 fl. oz. (1.6 ml),
	Contains 4 tubes, each 0.014 fl. oz. (0.4 ml)
over 9 lbs.	0.108 fl. oz. (3.2 ml),
	Contains 4 tubes, each 0.027 fl. oz. (0.8 ml)

For use ONLY on Cats 8 weeks and Older and Weighing:	
2 to 5 lbs.	0.046 fl. oz. (1.38 ml),
	Contains 6 tubes, each 0.0078 fl. oz. (0.23 ml)
5 to 9 lbs.	0.084 fl. oz. (2.4 ml),
	Contains 6 tubes, each 0.014 fl. oz. (0.4 ml)
over 9 lbs.	0.162 fl. oz. (4.8 ml),

Version: Nov 10, 2014

Contains 6 tubes, each 0.027 fl. oz. (0.8 ml)

[BACK PANEL]

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies or consumer questions call 1-800-275-1414.

Version: Nov 10, 2014

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment or advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not apply to cats or kittens under 8 weeks of age or weighing less than [2 lbs.; 5 lbs.; 9 lbs.] As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing cats. Individual sensitivities, while rare, may occur after using ANY pesticide product for cats. If signs persist, or become more severe, consult a veterinarian immediately. If your cat is on medication, consult your veterinarian before using this or any other product.

[BACK PANEL (cont.)]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

Version: Nov 10, 2014

READ ENTIRE LABEL BEFORE EACH USE

RESTRICTIONS

USE ONLY ON CATS OR KITTENS 8 WEEKS AND OLDER WEIGHING [2 to 5 lbs.; 5 to 9 lbs.; Over 9 lbs.]

DO NOT USE ON OTHER ANIMALS

DO NOT EXCEED LABELED DOSAGE AMOUNT FOR CATS

DO NOT APPLY MORE THAN ONE (1) TUBE PER TREATMENT ON ANY CAT DO NOT HAVE CONTACT OR ALLOW CHILDREN TO HAVE CONTACT WITH TREATED AREA UNTIL COMPLETELY DRY.

DO NOT USE ON CATS WEIGHING LESS THAN 2 LBS. [this line only required on product labeled for use on cats weighing 2 to 5 lbs.]

Side Effects (Cats): Monitor your cat after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as hypersalivation, vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call, 1-800-275-1414.

[BACK PANEL (cont.)] [DIRECTIONS FOR USE (cont.)]

[APPLICATION INSTRUCTIONS:]

[Visuals Depicting How to Open Applicator Tube And Application To Animal]

[OPTION 1:]

HOW TO APPLY

- 1. Remove one applicator tube from the package.
- 2. Hold applicator tube in an upright position facing away from you and your pet's face and eyes. Pull cap off tube.
- 3. Turn the cap around and place other end of cap back on tube.
- 4. Twist cap to break seal, then remove cap from tube.
- 5. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin. Do not get this product in your pet's eyes, or allow your pet to ingest this product. The product is bitter tasting and salivation may occur for a short time if the pet licks the product immediately after treatment. Treatment at the base of the skull will minimize the opportunity for the cat to lick the product. Do not allow the product to run off.
- 6. Discard empty tube as described in the Storage and Disposal section.
- 7. Under normal conditions this product is effective for a month. However, in case of severe flea infestation, retreatment may be necessary earlier than four (4) weeks. On cats, do not retreat more often than once every seven (7) days. After flea control is attained, return to a monthly treatment schedule.

[OPTION 2:]

HOW TO APPLY

- 1. Remove one applicator tube from the package.
- 2. Hold applicator tube in an upright position facing away from you and your pet's face and eyes.
- 3. Twist dispensing tip clockwise about ½ turn while pushing down to break the tube's seal. Do not remove the dispensing tip.
- 4. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin. Do not get this product in your pet's eyes, or allow your pet to ingest this product. The product is bitter tasting and salivation may occur for a short time if the pet licks the product immediately after treatment. Treatment at the base of the skull will minimize the opportunity for the cat to lick the product. Do not allow the product to run off.
- 5. Discard empty tube as described in the Storage and Disposal section.
- 6. Under normal conditions this product is effective for a month. However, in case of severe flea infestation, retreatment may be necessary earlier than four (4) weeks. On cats, do not retreat more often than once every seven (7) days. After flea control is attained, return to a monthly treatment schedule.

[BACK PANEL (cont.)]

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Non-refillable container. **If empty:** Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-274-1414 for disposal instructions. Never place unused product down any indoor or outdoor drain.

For more information call our (flea) experts at 1-800-275-1414 (weekdays, 9 am – 5 pm E.S.T.)

EPA Reg. No. 2596-EPA Est. No. 2596-OH-1

Hartz[®] and other trademarks are trademarks of The Hartz Mountain Corporation. Made by The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094 (U.S.A.)

[INSTRUCTIONS FOR BLISTER PACK]

HOW TO OPEN



[OPTION 1:]

- 1. Being careful not to cut close to the blister cavities, take scissors and cut along dotted line.
- 2. Peel off the [foil] [paper] from the individual blister cavity, and take out the tube.
- 3. Follow application instructions.
- 4. Repeat steps 1 and 2 for each tube.

[OPTION 2:]

- 1. Separate [foil] [paper] from corner of blister package.
- 2. Peel back [foil] [paper] and take out the tube.

INDIVIDUAL TUBE TEXT

(Product name)

[The appropriate size and fill volume will be correctly used on each applicable cat's weight category]

ONLY FOR USE ON CATS AND KITTENS 8 WEEKS OR OLDER WEIGHING 2 to 5 lbs. - 0.0078 fl. oz. (0.23 ml)

or 5 to 9 lbs. - 0.014 fl. oz. (0.4 ml)

or 9 lbs. and Over - 0.027 fl. oz. (0.8 ml)

9.10% Imidacloprid

0.46% Pyriproxyfen

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read The Entire Label Before Use

EPA Reg. No. 2596-

EPA Est. No. 2596-OH-1

(Lot no. is heat stamped in tube crimp - required on each)

OPTIONAL/ALTERNATE LABEL TEXT

For use on cats and kittens 8 weeks of age and older

(Insert Product Name) contains Imidacloprid, [and an/the] [insect growth regulator] [IGR] [Pyriproxyfen]

Version: Nov 10, 2014

A single topical application remains effective for up to [4 weeks] [1 month]

Convenient, easy-to-apply topical solution

Convenient, easy-to-apply [and fragrance free] [monthly] [topical solution]

Once a month topical flea prevention and treatment for cats 8 weeks of age or

(Insert Product Name) is indicated for the prevention and treatment of fleas on cats 8 weeks of age and older

For the prevention and treatment of flea infestations on cats

One treatment prevents further flea infestations for up to [4 weeks] [1 month] [30 days]

Kills fleas and continues to prevent infestations for up to [four weeks] [a month] [30 days]

Kills larval stages of fleas following contact with [a/an] [Product Name] treated cat

Stops existing flea infestations by killing adult fleas

Effectively breaks the flea life cycle

[Kills] [Controls] life stages

Comprehensive flea prevention and treatment

2-way flea protection ([kills] [controls]) adults and eggs

Treatment of cats with [Product Name] kills fleas and that may cause flea allergy dermatitis

[FAD] [or flea bite hypersensitivity]

Flea adulticide and ovicide

Kills flea eggs

Controls flea problems

Provides flea protection

Controls existing fleas and flea eggs plus [and] [prevents] future flea infestations

[Brand Name] may be used year-round for flea [prevention] [protection]

Contains an insect growth regulator (IGR) to kill flea eggs and prevent reinfestation

Monthly use of [Product Name] on cats kills fleas that may cause ([flea allergy dermatitis] [flea bite hypersensitivity])

Controls existing flea infestations on your cat and prevents further infestations

Prevents fleas on treated cats from infesting (reinfesting)

Fragrance-free

Prevents (establishment of) new infestations after application

Prevents all flea stages (eggs) from developing

Kills fleas (and flea eggs) [for] [4 weeks] [1 month] [30 days]

Stavs on and doesn't rub off for 1 month

Kills fleas for 30 days (1 month) (4 weeks)

Stops and prevents infestations

Prevents re-infestation (reinfestation)

Effective and convenient topical treatment

(With) patented applicator

Easy spot on topical applicator

Remains effective even after bathing or water immersion.

(Product Name) remains effective even after bathing or water immersion.

Contains Imidacloprid and Pyriproxyfen, the active ingredients used in Bayer Advantage® II (or Advantage® II)

Version: Nov 10, 2014

Contains the (same) active ingredients used in Bayer Advantage® II (or Advantage® II) (products)

Contains Imidacloprid and Pyriproxyfen, the active ingredients used in Bayer Advantage® II (or Advantage® II) (brand products)

[Product Name] is not manufactured by or distributed by Bayer. Advantage® II is a registered trademark of Bayer Healthcare LLC.

Only for cats and kittens 8 weeks of age or older For cats and kittens 8 weeks of age or older

NON-PESTICIDE RELATED CLAIMS AND OTHER OPTIONAL TEXT

1st dose, 2nd dose, 3rd dose, 4th dose, 5th dose, 6th dose

First month, second month, third month, fourth month, fifth month, sixth month Value pack

[1] [2] [3] [4] [5] [6] month supply

[4 or 6] monthly treatment(s)

Apply monthly (every 30 days)

Convenient (easy to use) applicator

(4 or 6) Pro-cision Flo® Applicator(s) (included)

(4 or 6) Pro-glide® Applicator(s) (included)

(Pro-cision Flo®Applicator)

(Pro-Glide®Applicator)

Featuring [Pro-cision Flo®] [Pro-Glide®] Applicator (for easy application)

Direct to your cat's skin

Easy (simple) to use (handle) (apply)


Made in the U.S.A

Convenient to use

After application, the treated area may appear wet for up to 24 hours

To help remind you when you last applied treatment, simply write in the date when each dose is applied:

First Dose	
Second Dose	
Third Dose	
Fourth Dose	
Fifth Dose	
Sixth Dose	



Mojogn



400 PLAZA DRIVE, SECAUCUS, NEW JERSEY 07094-3688. 201/271-4800

November 10, 2014

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention:

Mr. Richard Gebken (PM # 10)

RE: Hartz Ref #146 EPA Reg. No. 2596-181

Addition of brand names per PR Notice 98-10

Dear Mr. Gebken:

The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094-3688 is filing this notification to add new additional brand names for the product **Hartz Ref #146, EPA Reg. No. 2596-181.**

The Hartz Mountain Corporation is submitting the following information:

- A completed application (EPA Form 8570-1) and;
- Three copies of the proposed notification label.

"This notice is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR §152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

If you have any questions or need additional information, please feel free to contact me at (201) 271-4800, ext. 7036 or hmasch@hartz.com.

Sincerely,

Heather Masch

Regulatory Affairs Specialist

ase read instructions on reverse before completing form	7		Form A	pproved	OMB No. 2	070-0060	Approvel expires 2-28-95	
United States Environmental Protection Agency Washington, DC 20460		✓	Registrate Amendar Other	tion	OPP Identifier Number			
Appli	cation for	Pestici	de - Se	ction	i			
1. Company/Product Number 2596-181		2. EPA Product Manager R. Gebken			3, Pro	Proposed Classification None Restricted		
4. Company/Product (Name) HARTZ Ref #146		PM# 10						
5. Name and Address of Applicant (Include ZIP Code) The Hartz Mountain Corporation 400 Plaza Drive Secaucus, NJ 07094-3688 Check if this is a new address		6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name					mposition and labeling	
	Sec	tion -						
Amendment - Explain below. Resubmission in response to Agency letter dated Me Too" Application. Notification - Explain below. Thinal printed labels in repsonse to Agency letter dated Me Too" Application. Other - Explain below.								
Explanation: Use additional page(s) if necessary. (For section I and Section II.) "Addition of alternate brand names per PR Notice 98-10" "This notice is consistent with the provisions of PR Notices 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."								
	Sec	tion -	[]					
1. Material This Product Will Be Packaged In:								
Child-Resistant Packaging Yes No * Certification must Unit Packaging Yes No If "Yes" Unit Packaging Yes No No	per If "Ye			er ner	2. Type of Container Metal Plastic Glass Paper Other (Specify)		specify)	
be submitted		January Carrotter Control of the Con						
3. Location of Net Contents Information 4. Size	e(s) Retail Conta	5) Retail Container 5. Location of Label Directions					ons	
6. Manner in Which Label is Affixed to Product	is Affixed to Product Lithograph Other							
Section - IV								
1. Contact Point (Complete items directly below for iden	tification of indi	vidual to	e contacte	d, if ned	essary, to pre	ocess this	application.;	
Name Heather Masch	Title Regulatory Affairs Specialist		Telephone No. (Include Area Ccde) 201-271-4800, ext. 7036					
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlinglly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Data Application Recuived (Stamped)						Recui√ed		
2. Signature	3. Title Regula	3. Title Regulatory Affairs Specialist						
4. Typed Name Heather Masch	5. Date	11	10	14				



THE HARTZ MOUNTAIN CORPORATION, 400 PLAZA DRIVE, SECAUCUS, NEW JERSEY 07094 201/271-4800 REGULATORY AFFAIRS

December 16, 2014

Document Processing Desk Office of Pesticide Programs (7504P) US Environmental Protection Agency 1200 Pennsylvania Avenue Washington, DC 20460

RE:

Hartz Ref #146

EPA Reg. No. 2596-181

Final Printed Label Submission

Dear Mr. Gebken:

The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094-3688 is submitting final printed labels for the product **Hartz Ref #146, EPA Reg. No. 2596-181**.

The Hartz Mountain Corporation is submitting the following information:

- A completed application (EPA Form 8570-1) and;
- Two copies of the final printed label

If you have any questions or need additional information, please feel free to contact me at (201) 271-4800, ext. 7036 or hmasch@hartz.com.

Sincerely,

Heather Masch

Regulatory Affairs Specialist

	E A						
United State Environmental Protec Washington, DC	etion Agency	Registra Amenda	ation				
	tion for Pesticide - Secti						
1. Company/Product Number 2596-181	2. EPA Product Maner		3. Pr	roposed Classifi	fication		
4. Company/Product (Name) Hartz Reference #146	PM#		<u> </u>	None	Restricted		
Name and Address of Applicant (Include ZIP Code)	6. Expedited Reve	to la accord	- ieh				
The Hartz Mountain Corporation 400 Plaza Drive Secaucus, NJ 07094-3688	(b)(i), my product is to:	6. Expedited Reveiw. In accordance with (b)(i), my product is similar or identical in corto: EPA Reg. No					
Check if this is a new address	Product Name						
	Section - II						
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below. Explanation: Use additional page(s) if necessary. (For sect	se to						
	Section - III						
1. Material This Product Will Be Packaged In:							
Child-Resistant Packaging Yes No No Unit Packaging Yes No	Water Soluble Packaging Yes No	Yes Metal					
* Certification must be submitted If "Yes" No. per container	If "Yes" No. per Package wgt container						
3. Location of Net Contents Information 4. Size(s) R Label Container	Retail Container 5.	. Location of Lab	el Direction	ns			
	ograph Other or glued						
	Section - IV						
1. Contact Point (Complete items directly below for identification)	tion of individual to be contacted, if	necessary, to pro	ocess this	application.)			
Name Heather Masch				e No. (Include A 4800, ext. 7036	trea Code)		
Certific I certify that the statements I have made on this form an I acknowledge that any knowlinglly false or misleading s both under applicable law.	nd all attachments thereto are true, a		mplete.	6. Date Applica Received (Stamp			
2. Signature	3. Title Regulatory Affairs Specialist						
4. Typed Name Heather Masch	5. Date						

Hartz ADVANCED Flea Treatment for CATS

5/69 lbs





CONTAINS THE SAME ACTIVE INGREDIENTS USED IN ADVANTAGE® II* PRODUCTS

ADVANCED

Flea Treatment for CATS

5 to 9 lbs







4 Monthly Treatments

ACTIVE INGREDIENTS:


Imidacloprid 9,10% Pyriproxyten 0.46% Other Ingredients 90,44%

KEEP OUT OF REACH OF CHILDREN CAUTION:

See back panel for Precautionary Statements and Directions for Use. NET CONTENTS:

0.056 fl. oz. (1.6 ml.), Contains 4 tubes, each 0.014 fl. oz. (0.4 ml.)

*Hartz Advanced** Flea Treatment for Cats is not manufactured by or distributed by Bayer, Advantage* It is a registered trademark of Bayer Healthcare, LLC.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS, CAUTION: Harmful if swallowed Causes moderate eve

irritation. Avoid contact with eves or clothing. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not apply to cats or kittens under 8 weeks of age or weighing less than 5 lbs. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing cats. Individual sensitivities, while rare, may occur after using ANY pesticide product for cats. If signs persist, or become more severe, consult a veterinarian immediately. If your cat is on medication. consult your veterinarian before using this or any

FIRST AID

Flea Treatment for CATS

Partz

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies or consumer questions call 1-800-275-1414.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment or

For more information call our experts at 1-800-275-1414 (weekdays, 9 am - 5 pm E.S.T.) EPA Reg. No. 2596-181 EPA Est. No. 2596-0H-1 Hartz* and other trademarks are trademarks of The Hartz Mountain Corporation.

Made by The Hartz Mountain Corporation 400 Plaza Drive, Secaucus, NJ 07094 (USA)



RM112581

For the Pre-antion and Treat, ent of Flea Infestations on Cats

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product.

READ ENTIRE LABEL BEFORE EACH USE

RESTRICTIONS

USE ONLY ON CATS OR KITTENS 8 WEEKS AND OLDER WEIGHING 5 to 9 lbs.

DO NOT USE ON OTHER ANIMALS. DO NOT EXCEED LABELED DOSAGE AMOUNT FOR CATS.

DO NOT APPLY MORE THAN ONE (1) TUBE PER TREATMENT ON ANY CAT. DO NOT HAVE CONTACT OR ALLOW CHILDREN TO HAVE CONTACT WITH TREATED AREA UNTIL COMPLETELY DRY.

3) Twist

clockwise

dispensing tip

ahnut 1/2 turn

Side Effects (Cats): Monitor your cat after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as hypersalivation, vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call, 1-800-275-1414.

HOW TO APPLY



1) Remove one applicator tube from the package



while nushing down to break the tube's seal. Do not remove the dispensing tip.

2) Hold applicator tube in an upright position facing away from you and your pet's face and eyes. 4) Part the hair on the neck at the base of the



skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin. Do not get this product in your pet's eyes, or allow your pet to ingest this product. The product is bitter tasting and salivation may occur for a short time if the pet licks the product immediately after treatment. Treatment at the base of the skull will

minimize the opportunity for the cat to lick the product. Do not allow the product to run off.

5) Discard empty tube as described in the Storage and Disposal section. 6) Under normal conditions this product is effective for a month. However, in case of severe flea infestation, retreatment may be necessary earlier than four (4) weeks. On cats, do not retreat more often than once every seven (7) days. After flea control is attained, return to a monthly treatment schedule,

STORAGE AND DISPOSAL


PESTICIDE STORAGE: Store in a cool, dry place inaccessible to children and pets. PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Non-refillable container. If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-275-1414 for disposal instructions. Never place unused product down any indoor or outdoor drain.











ADVANCED Flea Treatment for CATS









4 Monthly Treatments

ACTIVE INGREDIENTS:


| Imidacloprid ... 9.10% | Pyriproxyfen ... 0.46% | Other Ingredients ... 90.44% | TOTAL ... 100,00% |

KEEP OUT OF REACH OF CHILDREN CAUTION:

See back panel for Precautionary Statements and Directions for Use.

NET CONTENTS: 0.056 fl. oz. (1.6 ml.), Contains 4 tubes, each 0.014 fl. oz. (0.4 ml.)

"Hartz Advanced" Flea Treatment for Cats is not manufactured by or distributed by Bayer, Advantage II is a registered trademark of Bayor Healthcare, L.C.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS, CAUTION: Harmful if swallowed, Causes moderate eye

rritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not apply to cats or kittens under 8 weeks of age or weighing less than 5 lbs. As with any product, consult your veterinarian before using this product on debillitated, aged, pregnant or nursing cats. Individual sensitivities, while rare, may occur after using ANY pesticide product for cats. If signs persist, or become more severe, consult a veterinarian immediately. If your cat is on medication, consult your veterinarian before using this or any other product.

FIRST AID

Flea Treatment for CATS

lartz

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies or consumer questions call 1-800-275-1414.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment or advice.

For more information call our experts at 1-800-275-1414 (weekdays, 9 am – 5 pm E.S.T.) EPA Reg. No. 2596-181 EPA Est. No. 2596-0H-1 Hartz* and other trademarks are trademarks of The Hartz Mountain Corporation.

Made by The Hartz Mountain Corporation, 400 Plaza Drive, Secaucus, NJ 07094 (USA)



2700"14736"" 5 RM112581

For 'he Previation and Treatment of Fleat' festations on Cats

DIKECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. READ ENTIRE LABEL BEFORE EACH USE

READ ENTIRE LABEL BEFO

RESTRICTIONS

USE ONLY ON CATS OR KITTENS
8 WEEKS AND OLDER WEIGHING

DD NOT USE ON OTHER ANIMALS.
DO NOT EXCEED LABELED DOSAGE
AMOUNT FOR CATS.

DO NOT APPLY MORE THAN ONE (1) TUBE PER TREATMENT ON ANY CAT. DO NOT HAVE CONTACT


DO NOT HAVE CONTACT OR ALLOW CHILDREN TO HAVE CONTACT WITH TREATED AREA UNTIL COMPLETELY DRY.

Side Effects (Cats): Monitor your cat after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastriontestinal signs such as hypersalivation, vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call, 1-800-275-1414.

HOW TO APPLY



Remove one applicator tube from the package,



clockwise about ½ turn while pushing

3) Twist

dispensing tip

down to break the tube's seal. Do not remove the dispensing tip.



you and your pet's face and eyes.

4) Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin. Do not get this product in your per's eyes, or allow your pet to ingest this product. The product is bitter tasting and salivation may occur for a short time if the pet licks the product immediately after treatment. Treatment at the base of the skull will

minimize the opportunity for the cat to lick the product. Do not allow the product to run off.

5) Discard empty tube as described in the Storage and Disposal section.
6) Under normal conditions this product is effective for a month. However, in case of severe flea infestation, retreatment may be necessary earlier than foour (4) weeks. On cats, do not retreat more often than once every seven (7) days. After flea control is attained, return to a monthly treatment schedule.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry place inaccessible to children and pets PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Non-refillable container. If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-275-1414 for disposal instructions. Never place unused product down any indoor or outdoor drain.

